
1 Door Sandwich/Salad Prep Table NP1R-SW



Technical Specifications Product Classification Refrigerator Climate Class Ν Number of Doors / Lids 1 Door / 1 Lid External Cabinet Material 430 Stainless Steel Internal Cabinet Material 304 Stainless Steel R-290 Type of Refrigeration Agent Type of Temperature Control Digital 0°C to 5°C Temperature Range °C Temperature Range °F 32°F to 41°F Voltage / Frequency 115V / 60Hz Amp 4.5 1/5 Compressor HP Type of Insulation 2.5-Inch Polyurethane Foam Door Handle Full Length

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- Pans and cutting boards are included
- 3/4" thick cutting board included
- Self contained system, simple installation
- Heavy-duty caster wheels

Certified Safety Standard

ETL Listed



ETL Sanitation Listed


Warranty Information

5 Years Compressor



- 3 Year Parts & Labor

1 Door Sandwich/Salad Prep Table NP1R-SW



| Capacity | | |
|-------------------------------------|-----------------|--|
| Gross Capacity | 6 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 24 in | |
| Internal Cabinet Depth | 24 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 27 in | |
| External Depth | 30 in | |
| External Height | 42 in | |
| Shipping Dimensions (W x D x H) | 33 x 35 x 46 in | |
| Weight | | |
| Gross Weight | 245 lbs. | |

| Accessories | |
|-------------------------|-------------------|
| Frost Free | Yes |
| Adjustable Shelves | 1 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (6) 1/6" (2) 1/9" |

2 Door Sandwich/Salad Prep Table + NP2R-SW



| Technical Specifications | |
|-----------------------------|----------------------------|
| Product Classification | Refrigerator |
| Climate Class | Ν |
| Number of Doors / Lids | 2 Doors / 1 Lid |
| External Cabinet Material | 430 Stainless Steel |
| Internal Cabinet Material | 304 Stainless Steel |
| Type of Refrigeration Agent | R-290 |
| Type of Temperature Control | Digital |
| Temperature Range °C | 0°C to 5°C |
| Temperature Range °F | 32°F to 41°F |
| Voltage / Frequency | 115V / 60Hz |
| Amp | 6.0 |
| Compressor HP | 1/4+ |
| Type of Insulation | 2.5-Inch Polyurethane Foam |
| Door Handle | Full Length |
| | |

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- Pans and cutting boards are included
- 3/4" thick cutting board included
- Self contained system, simple installation
- Heavy-duty caster wheels

Certified Safety Standard

• ETL Listed




ETL Sanitation Listed

Warranty Information

• 5 Years Compressor



2 Door Sandwich/Salad Prep Table • NP2R-SW



| Capacity | | |
|------------------------------------|-----------------|--|
| Gross Capacity | 9.5 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 43 in | |
| Internal Cabinet Depth | 24 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 47 in | |
| External Depth | 30 in | |
| External Height | 42 in | |
| Shipping Dimensions (W $x D x H$) | 52 x 35 x 46 in | |
| Weight | | |
| Gross Weight | 354 lbs. | |

| Acc | cessories |
|-------------------------|-----------|
| Frost Free | Yes |
| Adjustable Shelves | 2 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (12) 1/6" |

2 Door 36" Sandwich/Salad Prep Table • NP2R-SW36



Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- 3/4" thick cutting board included
- Heavy-duty caster wheels

| Technical Specifications | |
|-----------------------------|----------------------------|
| Product Classification | Refrigerator |
| Climate Class | Ν |
| Number of Doors / Lids | 2 Doors / 1 Lid |
| External Cabinet Material | 430 Stainless Steel |
| Internal Cabinet Material | 304 Stainless Steel |
| Type of Refrigeration Agent | R-290 |
| Type of Temperature Control | Digital |
| Temperature Range °C | 0°C to 5°C |
| Temperature Range °F | 32°F to 41°F |
| Voltage / Frequency | 115V / 60Hz |
| Amp | 5.5 |
| Compressor HP | 1/5 |
| Type of Insulation | 2.5-Inch Polyurethane Foam |
| Door Handle | Full Length |

Certified Safety Standard

• ETL Listed




ETL Sanitation Listed

Warranty Information

• 5 Years Compressor



2 Door 36" Sandwich/Salad Prep Table • NP2R-SW36



| Capacity | | |
|---|-----------------|--|
| Gross Capacity | 7.6 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 32 in | |
| Internal Cabinet Depth | 24 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 36 in | |
| External Depth | 30 in | |
| External Height | 42 in | |
| Shipping Dimensions (W \times D \times H) | 45 x 35 x 46 in | |
| Weight | | |
| Gross Weight | 298 lbs. | |

| A | ccessories |
|-------------------------|------------|
| Frost Free | Yes |
| Adjustable Shelves | 2 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (10) 1/6" |

2 Door 60" Sandwich/Salad Prep Table NP2R-SW60



Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- 3/4" thick cutting board included
- Heavy-duty caster wheels

| Technical Specifications | |
|-----------------------------|----------------------------|
| Product Classification | Refrigerator |
| Climate Class | Ν |
| Number of Doors / Lids | 2 Doors / 1 Lid |
| External Cabinet Material | 430 Stainless Steel |
| Internal Cabinet Material | 304 Stainless Steel |
| Type of Refrigeration Agent | R-290 |
| Type of Temperature Control | Digital |
| Temperature Range °C | 0°C to 5°C |
| Temperature Range °F | 32°F to 41°F |
| Voltage / Frequency | 115V / 60Hz |
| Amp | 6.5 |
| Compressor HP | 1/4+ |
| Type of Insulation | 2.5-Inch Polyurethane Foam |

Full Length

Door Handle

Certified Safety Standard

ETL Listed



• ETL Sanitation Listed


Warranty Information

5 Years Compressor



3 Year Parts & Labor

2 Door 60" Sandwich/Salad Prep Table • NP2R-SW60



| Capacity | | |
|-------------------------------------|-----------------|--|
| Gross Capacity | 15 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 56 in | |
| Internal Cabinet Depth | 24 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 60 in | |
| External Depth | 30 in | |
| External Height | 42 in | |
| Shipping Dimensions (W x D x H) | 65 x 35 x 46 in | |
| Weight | | |
| Gross Weight | 424 lbs. | |

| Accessories | | |
|-------------------------|-----------|--|
| Frost Free | Yes | |
| Adjustable Shelves | 2 | |
| Fixed Shelves | No | |
| Internal Light | No | |
| Internal Light Switch | No | |
| External Light Switch | No | |
| Self Closing Door / Lid | Yes | |
| Door Holder for Loading | Yes | |
| Door / Lid Lock | No | |
| Reversable (Left) Door | No | |
| Adjustable Feet | Optional | |
| Adjustable Thermostat | Yes | |
| Pans | (16) 1/6" | |

3 Door Sandwich/Salad Prep Table + NP3R-SW



| Technical Specifications | |
|-----------------------------|----------------------------|
| Product Classification | Refrigerator |
| Climate Class | Ν |
| Number of Doors / Lids | 3 Doors / 1 Lid |
| External Cabinet Material | 430 Stainless Steel |
| Internal Cabinet Material | 304 Stainless Steel |
| Type of Refrigeration Agent | R-290 |
| Type of Temperature Control | Digital |
| Temperature Range °C | 0°C to 5°C |
| Temperature Range °F | 32°F to 41°F |
| Voltage / Frequency | 115V / 60Hz |
| Amp | 8.9 |
| Compressor HP | 3/4 |
| Type of Insulation | 2.5-Inch Polyurethane Foam |
| Door Handle | Full Length |
| | |

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- Pans and cutting boards are included
- 3/4" thick cutting board included
- Self contained system, simple installation
- Heavy-duty caster wheels

Certified Safety Standard

• ETL Listed




ETL Sanitation Listed

Warranty Information

• 5 Years Compressor



3 Door Sandwich/Salad Prep Table NP3R-SW



| Capacity | | |
|-------------------------------------|-----------------|--|
| Gross Capacity | 15.5 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 66 in | |
| Internal Cabinet Depth | 24 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 70 in | |
| External Depth | 30 in | |
| External Height | 42 in | |
| Shipping Dimensions (W x D x H) | 75 x 35 x 46 in | |
| Weight | | |
| Gross Weight | 490 lbs. | |

| A | ccessories |
|-------------------------|------------|
| Frost Free | Yes |
| Adjustable Shelves | 3 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (18) 1/6" |

1 Door Mega Top Sandwich/Salad Prep Table NP1R-SWMT



| | Technical Specifications | |
|--|-----------------------------|----------------------------|
| | Product Classification | Refrigerator |
| | Climate Class | Ν |
| | Number of Doors / Lids | 1 Door / 1 Lid |
| | External Cabinet Material | 430 Stainless Steel |
| | Internal Cabinet Material | 304 Stainless Steel |
| | Type of Refrigeration Agent | R-290 |
| | Type of Temperature Control | Digital |
| | Temperature Range °C | 0°C to 5°C |
| | Temperature Range °F | 32°F to 41°F |
| | Voltage / Frequency | 115V / 60Hz |
| | Amp | 4.5 |
| | Compressor HP | 1/5 |
| | Type of Insulation | 2.5-Inch Polyurethane Foam |
| | Door Handle | Full Length |
| | | |

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- Pans and cutting boards are included
- 3/4" thick cutting board included
- Self contained system, simple installation
- Heavy-duty caster wheels

Certified Safety Standard

• ETL Listed




ETL Sanitation Listed

Warranty Information

• 5 Years Compressor



1 Door Mega Top Sandwich/Salad Prep Table NP1R-SWMT



| Capacity | |
|---|-----------------|
| Gross Capacity | 6 cu. ft. |
| Dimension | S |
| Internal Cabinet Width | 24 in |
| Internal Cabinet Depth | 24 in |
| Internal Cabinet Height | 24 in |
| External Width | 27 in |
| External Depth | 34 in |
| External Height | 46 in |
| Shipping Dimensions (W \times D \times H) | 33 x 40 x 50 in |
| Weight | |
| Gross Weight | 256 lbs. |

| Acces | ssories |
|-------------------------|-------------------|
| Frost Free | Yes |
| Adjustable Shelves | 1 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (9) 1/6" (3) 1/9" |

2 Door Mega Top Sandwich/Salad Prep Table NP2R-SWMT



| Technical Specifications | |
|-----------------------------|----------------------------|
| Product Classification | Refrigerator |
| Climate Class | Ν |
| Number of Doors / Lids | 2 Doors / 1 Lid |
| External Cabinet Material | 430 Stainless Steel |
| Internal Cabinet Material | 304 Stainless Steel |
| Type of Refrigeration Agent | R-290 |
| Type of Temperature Control | Digital |
| Temperature Range °C | 0°C to 5°C |
| Temperature Range °F | 32°F to 41°F |
| Voltage / Frequency | 115V / 60Hz |
| Amp | 6.0 |
| Compressor HP | 1/4+ |
| Type of Insulation | 2.5-Inch Polyurethane Foam |
| Door Handle | Full Length |
| | |

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- Pans and cutting boards are included
- 3/4" thick cutting board included
- Self contained system, simple installation
- Heavy-duty caster wheels

Certified Safety Standard

ETL Listed



• ETL Sanitation Listed


Warranty Information

5 Years Compressor



- 3 Year Parts & Labor

2 Door Mega Top Sandwich/Salad Prep Table NP2R-SWMT



| Capacity | |
|---|-----------------|
| Gross Capacity | 9.5 cu. ft. |
| Dimensions | ; |
| Internal Cabinet Width | 43 in |
| Internal Cabinet Depth | 24 in |
| Internal Cabinet Height | 24 in |
| External Width | 47 in |
| External Depth | 34 in |
| External Height | 46 in |
| Shipping Dimensions (W \times D \times H) | 52 x 40 x 50 in |
| Weight | |
| Gross Weight | 375 lbs. |

| A | ccessories |
|-------------------------|------------|
| Frost Free | Yes |
| Adjustable Shelves | 2 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (18) 1/6" |

2 Door 36" Mega Top Sandwich/Salad Prep Table NP2R-SWMT36



Technical Specifications Product Classification Refrigerator Climate Class Ν Number of Doors / Lids 2 Doors / 1 Lid External Cabinet Material 430 Stainless Steel Internal Cabinet Material 304 Stainless Steel R-290 Type of Refrigeration Agent Type of Temperature Control Digital 0°C to 5°C Temperature Range °C Temperature Range °F 32°F to 41°F Voltage / Frequency 115V / 60Hz Amp 5.5 1/5 Compressor HP

2.5-Inch Polyurethane Foam

Full Length

Type of Insulation

Door Handle

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- ♦ 3/4" thick cutting board included
- Heavy-duty caster wheels

Certified Safety Standard

ETL Listed



ETL Sanitation Listed

Warranty Information


5 Years Compressor



- 3 Year Parts & Labor



2 Door 36" Mega Top Sandwich/Salad Prep Table • NP2R-SWMT36



| Capacity | | |
|-------------------------------------|-----------------|--|
| Gross Capacity | 7.6 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 32 in | |
| Internal Cabinet Depth | 23 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 37 in | |
| External Depth | 34 in | |
| External Height | 46 in | |
| Shipping Dimensions (W x D x H) | 45 x 39 x 50 in | |
| Weight | | |
| Gross Weight | 326 lbs. | |

| A | ccessories |
|-------------------------|------------|
| Frost Free | Yes |
| Adjustable Shelves | 2 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (10) 1/6" |

2 Door 60" Mega Top Sandwich/Salad Prep Table + NP2R-SWMT60



Technical Specifications Product Classification Refrigerator Climate Class Ν Number of Doors / Lids 2 Doors / 1 Lid External Cabinet Material 430 Stainless Steel Internal Cabinet Material 304 Stainless Steel R-290 Type of Refrigeration Agent Type of Temperature Control Digital 0°C to 5°C Temperature Range °C Temperature Range °F 32°F to 41°F Voltage / Frequency 115V / 60Hz Amp 6.5 1/4+ Compressor HP Type of Insulation 2.5-Inch Polyurethane Foam Door Handle Full Length

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- 3/4" thick cutting board included
- Heavy-duty caster wheels

Certified Safety Standard

• ETL Listed



ETL Sanitation Listed

Warranty Information


• 5 Years Compressor



3 Year Parts & Labor



2 Door 60" Mega Top Sandwich/Salad Prep Table NP2R-SWMT60



| Capacity | | |
|-------------------------------------|-----------------|--|
| Gross Capacity | 15 cu. ft. | |
| Dimensions | | |
| Internal Cabinet Width | 56 in | |
| Internal Cabinet Depth | 24 in | |
| Internal Cabinet Height | 24 in | |
| External Width | 60 in | |
| External Depth | 34 in | |
| External Height | 46 in | |
| Shipping Dimensions (W x D x H) | 65 x 40 x 50 in | |
| Weight | | |
| Gross Weight | 432 lbs. | |

| P | Accessories |
|-------------------------|-------------|
| Frost Free | Yes |
| Adjustable Shelves | 2 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (24) 1/6" |

3 Door Mega Top Sandwich/Salad Prep Table • NP3R-SWMT



| Technical Specifications | | |
|--------------------------|-----------------------------|----------------------------|
| | Product Classification | Refrigerator |
| | Climate Class | Ν |
| | Number of Doors / Lids | 3 Doors / 1 Lid |
| | External Cabinet Material | 430 Stainless Steel |
| | Internal Cabinet Material | 304 Stainless Steel |
| | Type of Refrigeration Agent | R-290 |
| | Type of Temperature Control | Digital |
| | Temperature Range °C | 0°C to 5°C |
| | Temperature Range °F | 32°F to 41°F |
| | Voltage / Frequency | 115V / 60Hz |
| | Amp | 8.9 |
| | Compressor HP | 3/4 |
| | Type of Insulation | 2.5-Inch Polyurethane Foam |
| | Door Handle | Full Length |
| | | |

Standard Features

- Stainless steel series 430 exterior
- Stainless steel series 304 interior
- Stucco aluminum back panel
- Self closing hinged doors with 90 degree stay open feature
- Bottom mounted compressor
- Optional 3-inch legs
- LED digital temperature display
- PVC coated adjustable wire shelves
- Compartment barrier prevents food spillage down to storage area
- Lift off compartment door hinges for easy cleaning
- Pans and cutting boards are included
- 3/4" thick cutting board included
- Self contained system, simple installation
- Heavy-duty caster wheels

Certified Safety Standard

• ETL Listed




ETL Sanitation Listed

Warranty Information

• 5 Years Compressor



3 Door Mega Top Sandwich/Salad Prep Table NP3R-SWMT



| Capacity | | | |
|-------------------------------------|-----------------|--|--|
| Gross Capacity | 15.5 cu. ft. | | |
| Dimensions | | | |
| Internal Cabinet Width | 66 in | | |
| Internal Cabinet Depth | 24 in | | |
| Internal Cabinet Height | 24 in | | |
| External Width | 70 in | | |
| External Depth | 34 in | | |
| External Height | 46 in | | |
| Shipping Dimensions (W x D x H) | 75 x 40 x 50 in | | |
| Weight | | | |
| Gross Weight | 492 lbs. | | |

| | Accessories |
|-------------------------|-------------|
| Frost Free | Yes |
| Adjustable Shelves | 3 |
| Fixed Shelves | No |
| Internal Light | No |
| Internal Light Switch | No |
| External Light Switch | No |
| Self Closing Door / Lid | Yes |
| Door Holder for Loading | Yes |
| Door / Lid Lock | No |
| Reversable (Left) Door | No |
| Adjustable Feet | Optional |
| Adjustable Thermostat | Yes |
| Pans | (30) 1/6" |